CLAIMS

7. The method of forming a film in situ upon body fissue comprising:

providing a liquid composition comprising,

1) a volatile solvent; and

a polymer, excluding hydroxypropylcelllulose, which will attach to a hydrophobic group, and

3) a hydrophobic group:

modifying the solubility of the polymer in the liquid composition by attaching the hydrophobic group to the polymer to produce a water insoluble interaction product;

applying the liquid composition to body tissue;

evaporating the solvent from the liquid composition in situ; and

forming a film which adheres to body tissue.

R'

CLEAN VERSION

Serial No. 09/509,237

- 8. The method of forming a film *in situ* upon body tissue of claim 7 wherein the liquid composition includes a medicament.
- 9. The method of forming a film *in situ* upon body tissue of claim 7 wherein the polymer is selected from the group consisting of carboxymethylcellulose, poly(vinyl alcohol-co-vinyl acetate), polyiminodiacetamide, and hydroxyethylcellulose,
- 10. A composition which forms a/medicated film in situ upon boy tissue comprising:

a volatile solvent; and

an interaction product which is soluble in said solvent but insoluble in body fluids, the interaction product produced by reacting a polymer, excluding hydroxypropylcellulose, with a hydrophobic group, wherein the hydrophobic group attaches to the polymer to alter the solubility of the polymer to produce a water insoluble interaction product;

said interaction product forming a film which adheres to body tissue upon evaporation of said solvent.

Cont

CLEAN VERSION

Serial No. 09/509,237

11. The composition which forms a medicated film *in situ* upon boy tissue of claim 10 further comprising a medicament.

S. Com

12. The composition which forms a medicated film *in situ* upon boy tissue of claim 10 wherein the polymer is selected from the group consisting of carboxymethylcellulose, poly(vinyl alcohol-co-vinyl acetate), polyiminodiacetamide, and hydroxyethylcellulose,